

**KR HELLAS LTD.**  
41, Athinas Av., Vouliagmeni,  
GR-16671, Athens, Greece



**Certificate No:**  
**CPR-MD-1003-21**

TEL: +30-210-428-6736  
FAX: +30-210-428-6728

Page: 1/3

## **CERTIFICATE of Constancy of Performance**

**THIS IS TO CERTIFY** that KR Hellas Ltd., designated by the Hellenic Republic as Notified Body, did undertake the determination of the product type on the basis of type testing, the initial inspection of the manufacturing plant and of the relevant factory production control and attests that all provisions described in Annex ZA of the harmonized standard EN 16034:2014, under system 1, are applied and that the following product fulfils all the prescribed requirements according to REGULATION (EU) No. 305/2011 of "The European Parliament and of the Council of 9<sup>th</sup> March 2011.

**Manufacturer Name** : **Petroutsos Bros Ltd.**  
**Address** : 5<sup>th</sup> & 7<sup>th</sup> Street, Nr 19, Ano Liosia, 13341, Greece  
**Product Type** : Pedestrian doorsets and openable windows with fire resisting and smoke control characteristics.  
**Product Name** : (Refer to Annex for detailed description)  
**Applied Standard** : **EN 16034:2014 and EN 14351-1:2006+A2:2016**  
**Conformity System(S)** : **System 1**

This certificate is issued at Athens under the authority of the Hellenic Republic by KR Hellas Ltd., Notified Body No. 2198.

This certificate remains valid subject to continuous surveillance, assessment and evaluation of Factory Production Control (FPC) as long as the conditions laid down in the harmonized technical standard as well as in the manufacturing process of the factory are not modified.

- Initially issued date : 24 June 2021  
- Currently issued date : 24 June 2021  
- Next Surveillance : June 2022



Notified Body No.2198



Dr. Nikos Katiforis

**Quality Manager of KR Hellas Ltd.**



*Any person not a party to the contract pursuant which this document is delivered may not assert a claim against KRH for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgment, fault or negligence committed by personal of KRH in establishment or issuance of this document, and in connection with any activities for which it may provide. In this provision KRH shall mean the KR Hellas Ltd. as well as all its subsidiaries, directors, officers, employees and any other acting on behalf of KR Hellas Ltd.*



## Annex of Certificate (1 / 2)

### A: Detail description of the certified product

- Product Description** : External Pedestrian doorsets and windows with fire resistance properties made of aluminum profile systems manufactured by SCHÜCO International KG
- Model names** : Schüco ADS 80 FR30, Schüco ADS 80 FR60, Schüco AWS 60 FR30.
- Manufacturer** : Petroustos Bros Ltd. , 5th & 7th Street, Nr 19, Ano Liosia, 13341, Greece

### B: Essential Characteristics

Declared property		ADS 80 FR30	ADS 80 FR60	AWS 60 FR30
Resistance to fire	E	E 30	E 60	E 60
	EI <sub>1</sub>	-	EI <sub>1</sub> 30	EI <sub>1</sub> 30
	EI <sub>2</sub>	EI <sub>2</sub> 30	EI <sub>2</sub> 60	EI <sub>2</sub> 30
	EW	NPD	NPD	EW 30
Smoke control		S <sub>a</sub> /S <sub>200</sub>	S <sub>a</sub> /S <sub>200</sub>	S <sub>a</sub> /S <sub>200</sub>
Ability to release		Released	Released	Released
Self-closing		C5	C5	C2
Durability of ability to release		Release maintained	Release maintained	Release maintained

### C: Reports

This certificate was issued on the basis of the results of the following reports:

Report No	Issuing Organization	Date of Issue
18-002402-PR02	ift Rosenheim Gmbh. (NB: 0757)	03.02.2021
18-002403-PR02	ift Rosenheim Gmbh. (NB: 0757)	03.02.2021
18-002404-PR04	ift Rosenheim Gmbh. (NB: 0757)	10.07.2020
18-002404-PR02	ift Rosenheim Gmbh. (NB: 0757)	10.07.2020
KRH-CPR-0004-2021	KR Hellas (NB: 2198)	03.06.2021

The manufacturer shall issue a Declaration of Performance (DoP) and affix CE mark followed by identification number of KR Hellas Ltd. (I.D. No. 2198) followed by all the information given in Annex ZA.3. of EN 16034:2014.





## Annex of Certificate (2 / 2)

**D: Conditions of the validity:**

1. The products are to be manufactured in accordance with the approved factory production control system composed of attestation system 1.
2. If Regulation or the applied Standard(s) is amended, the product is to be re-approved in accordance with the amended requirements prior to it being supplied to the market. Any significant changes in design or construction of the product or amendments to the Directive or Standards referenced above may render this certificate invalid.
3. The Manufacturer must inform the Notified Body of modifications made to design, construction or the factory production control system which may affect compliance with the requirements.

*End of the Certificate*

